



Hermon Laboratories Ltd.  
Harakevet Industrial Zone, Binyamina 30500,  
Israel  
Tel. +972-4-6288001  
Fax. +972-4-6288277  
E-mail: mail@hermonlabs.com

# PARTIAL RADIATED EMISSIONS AND RADIATED IMMUNITY TEST REPORT

ACCORDING TO: EN 300 386 V1.4.1: 2008 with manufacturer's deviations:  
Radiated immunity of 10 V/m in 80 – 1000 MHz range

FOR:

**Texas Instruments (Israel) Cable Broadband Com.**  
**TI chip, model TLK110 48p QFP placed on Evaluation board,**  
**model Pc405**

This report is in conformity with ISO/ IEC 17025. The "A2LA Accredited" symbol endorsement applies only to the tests and calibrations that are listed in the scope of Hermon Laboratories accreditation. The test results relate only to the items tested. This test report shall not be reproduced in any form except in full with the written approval of Hermon Laboratories Ltd.



## Table of contents

|     |  |    |
|-----|--|----|
| 1   | Applicant information.....                                       | 3  |
| 2   | Equipment under test attributes .....                            | 3  |
| 3   | Manufacturer information .....                                   | 3  |
| 4   | Test details.....  | 3  |
| 5   | Tests summary.....   | 4  |
| 6   | EUT description.....   | 5  |
| 6.1 | General information.....   | 5  |
| 6.2 | Ports and lines .....  | 5  |
| 6.3 | Support and test equipment .....                                 | 5  |
| 6.4 | Test configuration.....  | 6  |
| 6.5 | Performance criteria .....                                       | 7  |
| 6.6 | Acceptance criteria.....   | 7  |
| 7   | Emissions tests .....  | 8  |
| 7.1 | Radiated disturbance .....                                       | 8  |
| 8   | Immunity tests .....   | 19 |
| 8.1 | Radiated immunity to radio frequency electromagnetic field ..... | 19 |
| 9   | APPENDIX A Test equipment and ancillaries used for tests.....    | 25 |
| 10  | APPENDIX B Measurement uncertainties.....                        | 26 |
| 11  | APPENDIX C Test laboratory description .....                     | 27 |
| 12  | APPENDIX D Specification references .....                        | 27 |
| 13  | APPENDIX E Test equipment correction factors.....                | 28 |
| 14  | APPENDIX F Abbreviations and acronyms.....                       | 30 |



## 1 Applicant information

**Client name:** Texas Instruments (Israel) Cable Broadband Com.  
**Address:** 26 Zarchin Street, 43662 Raanana, Israel  
**Telephone:** +972 9970 6969  
**Fax:** +972 9970 6500  
**E-mail:** noam.sadan@ti.com  
**Contact name:** Mr. Noam Sadan

## 2 Equipment under test attributes

**Product name:** TI chip, model TLK110 48p QFP placed on Evaluation board, model Pc405  
**Serial number:** 51611  
**Hardware version:** 1  
**Software release:** 1  
**Receipt date** 12/11/2012

## 3 Manufacturer information

**Manufacturer name:** Texas Instruments (Israel) Cable Broadband Com.  
**Address:** 26 Zarchin Street, 43662 Raanana, Israel  
**Telephone:** +972 9970 6969  
**Fax:** +972 9970 6500  
**E-Mail:** noam.sadan@ti.com  
**Contact name:** Mr. Noam Sadan

## 4 Test details

**Project ID:** 23555  
**Location:** Hermon Laboratories Ltd. Harakevet Industrial Zone, Binyamina 30500, Israel  
**Test started:** 12/11/2012  
**Test completed:** 12/12/2012  
**Test specification(s):** EN 300 386 V1.4.1: 2008 with manufacturer's deviations:  
Radiated immunity of 10 V/m in 80 – 1000 MHz range



## 5 Tests summary

| Test  | Status                |
|---|-----------------------|
| <b>EN 300 386 with manufacturer's deviations</b><br>Radiated emissions, Class B             | Pass preliminary test |
| Radiated immunity to radio frequency electromagnetic field of 10 V/m in 80 – 1000 MHz range | Pass preliminary test |

The test results relate only to the items tested.

|                     | Name and Title                               | Date              | Signature |
|---------------------|--|-------------------|-----------|
| <b>Tested by:</b>   | Mr. V. Dorofeyev, test engineer              | December 12, 2012 |           |
| <b>Reviewed by:</b> | Mrs. M. Cherniavsky, certification engineer  | April 14, 2013    |           |
| <b>Approved by:</b> | Mr. M. Nikishin, EMC and radio group manager | May 5, 2013       |           |



## 6 EUT description

### 6.1 General information

The EUT is TI chip (Ethernet device) placed on the evaluation board enclosed in a metal enclosure. The EUT is powered from 5 VDC.

### 6.2 Ports and lines

| Port type | Port description | Connected from | Connected to               | Qty. | Cable type | Cable length, m |
|-----------|------------------|----------------|----------------------------|------|------------|-----------------|
| Signal    | Ethernet         | EUT            | External loopback          | 1    | Shielded   | 2.5             |
| Control   | USB              | Laptop         | USB2MII Board (FPGA Board) | 1    | Shielded   | 5               |


### 6.3 Support and test equipment

| Description                | Manufacturer      | Model number | Serial number |
|----------------------------|-------------------|--------------|---------------|
| Laptop                     | Dell              | D630         | E0101139-00   |
| USB2MII Board (FPGA Board) | Texas instruments | Pc126        | 42662         |




## 6.4 Test configuration

### 6.4.1 EUT setup for radiation through cable



### 6.4.2 EUT setup for radiation from the EUT pins





## 6.5 Performance criteria

### 6.5.1 General performance criteria of EN 300 386, Section 10

#### 6.5.1.1 Performance criterion A

The equipment shall continue to operate as intended. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer when the equipment is used as intended. The performance level may be replaced by a permissible loss of performance. If the manufacturer does not specify the minimum performance level or the permissible performance loss, then either of these may be derived from the product description and documentation, and by what the user may reasonably expect from the equipment if used as intended.

### 6.5.2 Specific performance criteria of EN 300 386, Section 11 (Switching equipment specific requirements)

#### 6.5.2.1 11.3.1 Digital ports

##### Performance criterion A:

During the sweep:

- the established connections shall be maintained throughout testing and the transfer of information shall be within the limits of the manufacturer's specification;
- loss of frame alignment or loss of synchronization is not allowed during each individual exposure.

For selected frequencies :

- it shall be possible to establish a connection between two ports;
- it shall be possible to clear a connection in a controlled manner.

### 6.5.3 Specific performance criteria of EN 300 386, Section 12 (Transmission equipment specific requirements)

#### 6.5.3.1 12.3.1 Digital signal ports

##### Performance criterion A:

The performance of the equipment shall be verified by measuring the additional errors induced due to the application of any electromagnetic phenomena. During the test sweep the established connection shall be maintained throughout the testing and the transfer of information shall be without any reproducible bit errors. If degradation in performance is observed and the system is adaptive i.e. has capability to automatically re-train in the presence of an interfering signal, then for conducted immunity tests only the following procedure shall be followed:

- For each range of interfering frequencies, where degradation in performance is observed, three frequencies (beginning, middle and end) shall be identified.
- At each of the frequencies identified in step 1, the interfering signal shall be turned and the system allowed to re-train. If the system is able to re-train and then function with respect to the performance criteria A then the system performance is considered acceptable.
- The frequencies identified in step 1 shall be recorded in the test report.

## 6.6 Acceptance criteria

Data packets shall be transmitted from TI chip, using its internal PRBS generator to an external loopback, which returns the packets to TI chip to compare to transmitted packets. No data packets error is allowed during the test.



HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

## 7 Emissions tests

### 7.1 Radiated disturbance

#### 7.1.1 General

This test was performed to measure radiated disturbance from the EUT enclosure. The specification test limits are given in Table 7.1.1.

Table 7.1.1 Radiated disturbance limits

| Frequency,<br>MHz | Class B limit,<br>dB( $\mu$ V/m) |            |       |                 |
|-------------------|----------------------------------|------------|-------|-----------------|
|                   | Peak<br>@3 m                     | Quasi-peak |       |                 |
|                   |                                  | @10 m      | @3 m  | Average<br>@3 m |
| 30 - 230          | —                                | 30.0       | 40.5* | —               |
| 230 - 1000        | —                                | 37.0       | 47.5* | —               |
| 1000 – 3000       | 70                               | —          | —     | 50              |
| 3000 - 6000       | 74                               | —          | —     | 54              |

\* The limit for test distance other than specified was calculated using the inverse linear distance extrapolation factor as follows:  $\text{Lim}_{S_2} = \text{Lim}_{S_1} + 20 \log(S_1/S_2)$ , where  $S_1$  and  $S_2$  – standard defined and test distance respectively in meters.

#### 7.1.2 Test procedure


- 7.1.2.1 The EUT was set up as shown in Figure 7.1.1 and the associated photographs, energized and the EUT performance was checked.
- 7.1.2.2 The preliminary measurements were performed in the anechoic chamber at 3 m test distance. The specified frequency range was investigated with the antenna connected to the EMI receiver. To find maximum radiation the turntable was rotated 360° and the measuring antenna height was swept from 1 to 4 m in both, vertical and horizontal polarizations.
- 7.1.2.3 The worst test results for radiation through cable with respect to the limits were recorded in Table 7.1.2 and shown in the associated plots.
- 7.1.2.4 The test was repeated for evaluation of radiation from pins, the test results are shown in the associated plots.



HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

Figure 7.1.1 Setup for radiated emissions measurements in anechoic chamber, table-top EUT






HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

**Photograph 7.1.1 Setup for preliminary radiated disturbance measurements, general view,  
EUT radiation through cable**



**Photograph 7.1.2 Setup for preliminary radiated disturbance measurements, general view,  
EUT radiation through cable**






HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

Photograph 7.1.3 Setup for radiated disturbance measurements, EUT radiation through cable



Photograph 7.1.4 Setup for radiated disturbance measurements, EUT close view





HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b> PASS           |                            |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

**Table 7.1.2 Radiated disturbance test results**

EUT SET UP:

TABLE-TOP

TEST SITE:

Fully anechoic chamber

TEST DISTANCE:

3 m

DETECTORS USED:

PEAK / QUASI-PEAK

FREQUENCY RANGE:

30 MHz – 1000 MHz

RESOLUTION BANDWIDTH:

120 kHz

*TLK110 48p QFP radiation through cable*

| Frequency,<br>MHz | Peak<br>emission,<br>dB(µV/m) | Quasi-peak                        |                    |                           | Antenna<br>polarization | Antenna<br>height,<br>m | Turn-table<br>position**,<br>degrees | Verdict |
|-------------------|-------------------------------|-----------------------------------|--------------------|---------------------------|-------------------------|-------------------------|--------------------------------------|---------|
|                   |                               | Measured<br>emission,<br>dB(µV/m) | Limit,<br>dB(µV/m) | Margin,<br>to peak<br>dB* |                         |                         |                                      |         |
| 122.83            | 35.54                         | Note*                             | 40.5               | -4.96                     | Vertical                | Note*                   | Note*                                |         |
| 32.00             | 37.00                         | Note*                             | 40.5               | -3.50                     | Vertical                | Note*                   | Note*                                | Pass*   |

\*Note: Quasi-peak emission was not measured

DETECTORS USED:

PEAK / AVERAGE

FREQUENCY RANGE:

1000 MHz – 2900 MHz

RESOLUTION BANDWIDTH:

1000 kHz

TEST SITE:

Fully anechoic chamber

TEST DISTANCE:

3 m

*TLK110 48p QFP radiation through cable*

| Frequency,<br>MHz       | Peak                              |                    |                | Average                           |                    |                | Antenna<br>polarization | Antenna<br>height,<br>m | Turn-table<br>position**,<br>degrees | Verdict |
|-------------------------|-----------------------------------|--------------------|----------------|-----------------------------------|--------------------|----------------|-------------------------|-------------------------|--------------------------------------|---------|
|                         | Measured<br>emission,<br>dB(µV/m) | Limit,<br>dB(µV/m) | Margin,<br>dB* | Measured<br>emission,<br>dB(µV/m) | Limit,<br>dB(µV/m) | Margin,<br>dB* |                         |                         |                                      |         |
| No emissions were found |                                   |                    |                |                                   |                    |                |                         |                         |                                      |         |

**Reference numbers of test equipment used**



|         |         |         |         |         |  |  |  |
|---------|---------|---------|---------|---------|--|--|--|
| HL 2432 | HL 2697 | HL 4150 | HL 4347 | HL 4349 |  |  |  |
|---------|---------|---------|---------|---------|--|--|--|

Full description is given in Appendix A.



HERMON LABORATORIES



|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

**Plot 7.1.1 Radiated disturbance measurements in 30 - 1000 MHz range, vertical antenna polarization****Plot 7.1.2 Radiated disturbance measurements in 30 - 1000 MHz range, horizontal antenna polarization**



HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

**Plot 7.1.3 Radiated disturbance measurements in 1000 – 2900 MHz range, vertical antenna polarization****Plot 7.1.4 Radiated disturbance measurements in 1000 – 2900 MHz range, horizontal antenna polarization**



HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

Photograph 7.1.5 Setup for radiated disturbance measurements, radiation from EUT pins



Photograph 7.1.6 Setup for radiated disturbance measurements, radiation from EUT pins





HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |


Photograph 7.1.7 Setup for radiated disturbance measurements, radiation from EUT pins






HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

**Plot 7.1.5 Radiated disturbance measurements in 30 - 1000 MHz range, vertical antenna polarization**

Note: To find the highest emission the measuring antenna height was swept from 1 to 1.8 m (turntable was not rotated)


**Plot 7.1.6 Radiated disturbance measurements in 30 - 1000 MHz range, horizontal antenna polarization**

Note: To find the highest emission the measuring antenna height was swept from 1 to 1.8 m (turntable was not rotated)




HERMON LABORATORIES

|                            |  |                                |                            |
|----------------------------|--|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Section 6 Class B, Radiated disturbance</b> |                                |                            |
| <b>Test procedure:</b>     | EN 55022, Section 10                           |                                |                            |
| <b>Test mode:</b>          | Compliance                                     | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012                                     |                                |                            |
| <b>Temperature:</b> 22 °C  | <b>Air Pressure:</b> 1018 hPa                  | <b>Relative Humidity:</b> 45 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |  |                                |                            |

**Plot 7.1.7 Radiated disturbance measurements in 1000 – 2900 MHz range, vertical antenna polarization**

Note: To find the highest emission the measuring antenna height was swept from 1 to 1.8 m (turntable was not rotated)

**Plot 7.1.8 Radiated disturbance measurements in 1000 – 2900 MHz range, horizontal antenna polarization**

Note: To find the highest emission the measuring antenna height was swept from 1 to 1.8 m (turntable was not rotated)



HERMON LABORATORIES

|                            |   |                                |                            |
|----------------------------|---|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Radiated immunity to radio frequency electromagnetic field</b> |                                |                            |
| <b>Test procedure:</b>     | EN 61000-4-3; EN 55024, Section 4.2.3.1                           |                                |                            |
| <b>Test mode:</b>          | Evaluation  | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012  |                                |                            |
| <b>Temperature:</b> 23 °C  | <b>Air Pressure:</b> 1018 hPa                                     | <b>Relative Humidity:</b> 39 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |   |                                |                            |

## 8 Immunity tests

### 8.1 Radiated immunity to radio frequency electromagnetic field

#### 8.1.1 General

This test was performed to verify the EUT immunity to radiated radio frequency electromagnetic field. The radiated RF electromagnetic field levels, performance criterion and test results are referred to in Table 8.1.1.

#### 8.1.2 Test procedure


- 8.1.2.1 The EUT was set up as shown in Figure 8.1.1 and the associated photographs, energized and the EUT performance was checked.
- 8.1.2.2 The electric field generating antenna was installed facing the EUT front panel at the specified distance.
- 8.1.2.3 The test setup was adjusted to produce the required field strength level. The field strength was monitored by the isotropic field probe, which was placed near the EUT.
- 8.1.2.4 The signal frequency was scanned throughout the frequency range.
- 8.1.2.5 The test was performed with antenna/s in both vertical and horizontal polarizations.
- 8.1.2.6 The test was repeated at selected frequencies.
- 8.1.2.7 The EUT operation was monitored throughout the test for any malfunction or degradation and its performance was recorded.
- 8.1.2.8 Upon this the test was completed.



HERMON LABORATORIES

|                            |   |                                |                            |
|----------------------------|---|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Radiated immunity to radio frequency electromagnetic field</b> |                                |                            |
| <b>Test procedure:</b>     | EN 61000-4-3; EN 55024, Section 4.2.3.1                           |                                |                            |
| <b>Test mode:</b>          | Evaluation  | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012  |                                |                            |
| <b>Temperature:</b> 23 °C  | <b>Air Pressure:</b> 1018 hPa                                     | <b>Relative Humidity:</b> 39 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |   |                                |                            |

Figure 8.1.1 Setup for radiated immunity to RF electromagnetic field test, table-top EUT






HERMON LABORATORIES

|                            |   |                                |                            |
|----------------------------|---|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Radiated immunity to radio frequency electromagnetic field</b> |                                |                            |
| <b>Test procedure:</b>     | EN 61000-4-3; EN 55024, Section 4.2.3.1                           |                                |                            |
| <b>Test mode:</b>          | Evaluation  | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012  |                                |                            |
| <b>Temperature:</b> 23 °C  | <b>Air Pressure:</b> 1018 hPa                                     | <b>Relative Humidity:</b> 39 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |   |                                |                            |

**Photograph 8.1.1 Setup for radiated immunity to RF electromagnetic field test, general view,  
EUT radiation through cable**



**Photograph 8.1.2 Setup for radiated immunity to RF electromagnetic field test, EUT close view,  
EUT radiation through cable**





HERMON LABORATORIES

|                            |   |                                |                            |
|----------------------------|---|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Radiated immunity to radio frequency electromagnetic field</b> |                                |                            |
| <b>Test procedure:</b>     | EN 61000-4-3; EN 55024, Section 4.2.3.1                           |                                |                            |
| <b>Test mode:</b>          | Evaluation  | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012  |                                |                            |
| <b>Temperature:</b> 23 °C  | <b>Air Pressure:</b> 1018 hPa                                     | <b>Relative Humidity:</b> 39 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |   |                                |                            |

**Photograph 8.1.3 Setup for radiated immunity to RF electromagnetic field test, general view, radiation from EUT pins**



**Photograph 8.1.4 Setup for radiated immunity to RF electromagnetic field test, general view, radiation from EUT pins**






HERMON LABORATORIES

|                            |   |                                |                            |
|----------------------------|---|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Radiated immunity to radio frequency electromagnetic field</b> |                                |                            |
| <b>Test procedure:</b>     | EN 61000-4-3; EN 55024, Section 4.2.3.1                           |                                |                            |
| <b>Test mode:</b>          | Evaluation  | <b>Verdict:</b>                | PASS                       |
| <b>Date(s):</b>            | 12/12/2012  |                                |                            |
| <b>Temperature:</b> 23 °C  | <b>Air Pressure:</b> 1018 hPa                                     | <b>Relative Humidity:</b> 39 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |   |                                |                            |

**Photograph 8.1.5 Setup for radiated immunity to RF electromagnetic field test, EUT close view, radiation from EUT pins**





HERMON LABORATORIES

|                            |   |                                |                            |
|----------------------------|---|--------------------------------|----------------------------|
| <b>Test specification:</b> | <b>Radiated immunity to radio frequency electromagnetic field</b> |                                |                            |
| <b>Test procedure:</b>     | EN 61000-4-3; EN 55024, Section 4.2.3.1                           |                                |                            |
| <b>Test mode:</b>          | Evaluation  | <b>Verdict:</b> PASS           |                            |
| <b>Date(s):</b>            | 12/12/2012  |                                |                            |
| <b>Temperature:</b> 23 °C  | <b>Air Pressure:</b> 1018 hPa                                     | <b>Relative Humidity:</b> 39 % | <b>Power Supply:</b> 5 VDC |
| <b>Remarks:</b>            |   |                                |                            |

**Table 8.1.1 Radiated immunity to RF electromagnetic field test results****TLK110 48p QFP radiation through cable**

EUT SET UP: TABLE-TOP  
 PERFORMANCE CRITERIA: A  
 TEST SITE: FULLY ANECHOIC CHAMBER  
 ANTENNA TO EUT DISTANCE: 2.4 m  
 FREQUENCY RANGE: 80 – 1000 MHz  
 MODULATION: 80% AM with 1 kHz  
 DWELL TIME: 2.8 s  
 FREQUENCY STEP: 1 % of current frequency

| EUT orientation* | Antenna polarization | Field strength**, V <sub>rms</sub> /m | EUT performance description during the test | Verdict |
|------------------|----------------------|---------------------------------------|---|---------|
| 0°               | Vertical             | 10***                                 | NP  | Pass*** |

\* - 0° = antenna installed facing the EUT front panel.

\*\* - Field strength measured prior to modulation.

\*\*\* - The standard requirement is 3 V<sub>rms</sub>/m.The found threshold was 8 V<sub>rms</sub>/m.**TLK110 48p QFP radiation from EUT pins**

EUT SET UP: TABLE-TOP  
 PERFORMANCE CRITERIA: A  
 TEST SITE: MILITARY STD ANECHOIC CHAMBER  
 ANTENNA TO EUT DISTANCE: 2.0 m  
 FREQUENCY RANGE: 80 – 1000 MHz  
 MODULATION: 80% AM with 1 kHz  
 DWELL TIME: 2.8 s  
 FREQUENCY STEP: 1 % of current frequency

| EUT orientation* | Antenna polarization | Field strength**, V <sub>rms</sub> /m | EUT performance description during the test  | Verdict |
|------------------|----------------------|---------------------------------------|--|---------|
| 0°               | Vertical             | 10***                                 | At 81, 130, 184, 226, 350, 489, 707, 960 MHz the errors appeared; the threshold 5 V at 707 MHz | Pass*** |
|                  | Horizontal           |                                       | At 81, 115, 130, 160, 197, 525, 551, 743 MHz the errors appeared                               | Tested  |

\* - 0° = antenna installed facing the EUT front panel.

\*\* - Field strength measured prior to modulation.

\*\*\* - The standard requirement is 3 V<sub>rms</sub>/m.\*\*\*The 5 V<sub>rms</sub>/m threshold was defined for 707 MHz only.**Reference numbers of test equipment used**

|         |         |         |         |         |         |         |         |
|---------|---------|---------|---------|---------|---------|---------|---------|
| HL 0317 | HL 0613 | HL 0659 | HL 0674 | HL 1097 | HL 1544 | HL 1629 | HL 2078 |
| HL 2109 | HL 2376 | HL 2432 | HL 2697 | HL 2783 | HL 2788 | HL 3158 | HL 3508 |

Full description is given in Appendix A.



HERMON LABORATORIES

## 9 APPENDIX A Test equipment and ancillaries used for tests

| HL No | Description   | Manufacturer                                     | Model             | Ser. No.    | Last Cal./Check | Due Cal./Check |
|-------|---|--|-------------------|-------------|-----------------|----------------|
| 0317  | Power Sensor, 30 MHz - 18 GHz, -70 to 20 dBm                          | Boonton Electronics Corp.                        | 51072             | 26163       | 01-Jan-13       | 01-Jan-14      |
| 0613  | Sensor Electric Field 10 kHz-1.0 GHz, 1-300 V/m (probe)               | Amplifier Research                               | FP2000            | 18677       | 07-Dec-12       | 07-Dec-13      |
| 0659  | Amplifier 1 to 4 GHz, 55 W  | Milmega  | AS0104-55/55B     | 971386      | 03-Jul-12       | 03-Jul-13      |
| 0674  | Coupler Directional, high power 80 - 1000 MHz, 1500 W                 | WERLATONE  | C3908             | 5843        | 01-Jan-13       | 01-Jan-14      |
| 1097  | Attenuator, 50 Ohm, 5 W, DC to 8 GHz, 20 dB                           | Midwest Microwave                                | 0793-20-NN-07     | 1097        | 10-Oct-12       | 10-Oct-13      |
| 1544  | Cable RF, N/N-type, 3.2 m   | Alpha Wire                                       | RG-213/U          | 1544        | 19-Jul-12       | 19-Jul-13      |
| 1629  | Isotropic Field Monitor   | Amplifier Research                               | FM2000            | 23308       | 07-Dec-12       | 07-Dec-13      |
| 2078  | Isotropic Field Probe 80 MHz - 40 GHz                                 | Amplifier Research                               | FP2080            | 302541      | 10-Feb-13       | 10-Feb-14      |
| 2109  | Anechoic Chamber 6(L) x 5.5(W) x 2.95(H) m                            | Hermon Laboratories                              | AC-2              | 2109        | 07-Nov-12       | 07-Nov-13      |
| 2376  | Coupler coaxial bi-directional 1 - 4 GHz, 20 dB                       | Narda  | 3022              | 50076       | 21-Jun-12       | 21-Jun-13      |
| 2432  | Antenna, Double-Ridged Waveguide Horn 1-18 GHz                        | EMC Test Systems                                 | 3115              | 00027177    | 07-Dec-12       | 07-Dec-13      |
| 2697  | Antenna, 30 MHz - 3.0 GHz   | Sunol Sciences. Corp. Pleasanton, California USA | JB3               | A022805     | 20-May-12       | 20-May-14      |
| 2783  | Power Meter, RF, IEEE-488, 100 kHz - 100 GHz, -70 to +37 dBm          | Boonton Electronics Corp.                        | 4220              | 156602BK    | 02-Jan-13       | 02-Jan-14      |
| 2788  | Horn Antenna, 0.5 to 4 GHz  | GTE Sylvania                                     | AN-10E            | 78004       | 30-Jul-10       | 30-Jul-13      |
| 3158  | Amplifier, 80 to 1000 MHz, 500 W                                      | Amplifier Research                               | 500W100 0A        | 032960      | 03-Apr-13       | 03-Apr-14      |
| 3508  | MIL STD Anechoic Chamber 6.0(L) x 4.8(W) x 2.9(H) m                   | ETS Lindgren                                     | RFD-F/A-100       | 4311        | 30-Oct-12       | 30-Oct-13      |
| 4150  | Preamplifier, 0.1 to 18 GHz, Gain 25 dB, N-type(f) in, N-type(m) out. | Agilent Technologies                             | 87405C            | MY470105 91 | 18-Jun-12       | 18-Jun-13      |
| 4347  | Low Loss Armored Test Cable, DC - 18 GHz, 2.0 m, N type-M/N type-M    | MegaPhase  | NC29-N1N1-79 001  | 12025103    | 06-Mar-13       | 06-Mar-14      |
| 4349  | Low Loss Armored Test Cable, DC - 18 GHz, 4.5 m, N type-M/N type-M    | MegaPhase  | NC29-N1N1-177 001 | 12025102    | 01-Jan-13       | 01-Jan-14      |



HERMON LABORATORIES

## 10 APPENDIX B Measurement uncertainties

Expanded uncertainty at 95% confidence in Hermon Labs EMC measurements

| Test description  | Expanded uncertainty   |
|---|--|
| Radiated emissions at 3 m measuring distance<br>Horizontal polarization | Biconilog antenna: ± 5.3 dB<br>Biconical antenna: ± 5.0 dB<br>Log periodic antenna: ± 5.3 dB<br>Double ridged horn antenna: ± 5.3 dB |
| Vertical polarization   | Biconilog antenna: ± 6.0 dB<br>Biconical antenna: ± 5.7 dB<br>Log periodic antenna: ± 6.0 dB<br>Double ridged horn antenna: ± 6.0 dB |
| Radiated immunity<br>AR FP2000 E-field probe<br>AR FP2080 E-field probe | 10 kHz to 250 MHz: ± 1.9 dB; 250 MHz to 1 GHz: ± 2.1 dB<br>80 MHz to 26 GHz: ± 2.7 dB; 26 GHz to 40 GHz: ± 4.0 dB                    |

Hermon Laboratories is accredited by A2LA for calibration according to present requirements of ISO/IEC 17025 and NCSL Z540-1. The accreditation is granted to perform calibration of parameters that are listed in the Scope of Hermon Laboratories Accreditation.

Hermon Laboratories calibrates its reference and transfer standards by calibration laboratories accredited to ISO/IEC 17025 by a mutually recognized Accreditation Body or by a recognized national metrology institute. All reference and transfer standards used in the calibration system are traceable to national or international standards.

In-house calibration of all test and measurement equipment is performed on a regular basis according to Hermon Laboratories calibration procedures, manufacturer calibration/verification procedures or procedures defined in the relevant standards. The Hermon Laboratories test and measurement equipment is calibrated within the tolerances specified by the manufacturers and/or by the relevant standards.



HERMON LABORATORIES

## 11 APPENDIX C Test laboratory description

Tests were performed at Hermon Laboratories Ltd., which is a fully independent, private, EMC, safety, environmental and telecommunication testing facility.

Hermon Laboratories is listed by the Federal Communications Commission (USA) for all parts of Code of Federal Regulations 47 (CFR 47), Registration Numbers 90624 for OATS and 90623 for the anechoic chamber; by Industry Canada for electromagnetic emissions (file numbers IC 2186A-1 for OATS and IC 2186A-2 for anechoic chamber), certified by VCCI, Japan (the registration numbers are R-808 for OATS, R-1082 for semi anechoic chamber, G-27 for full-anechoic chamber, C-845 for conducted emissions (mains ports) site, T-1606 for conducted emissions (telecommunication ports) site), has a status of a Telefication - Listed Testing Laboratory, Certificate No. L138/00. The laboratory is accredited by American Association for Laboratory Accreditation (USA) according to ISO/IEC 17025 for electromagnetic compatibility, product safety, telecommunications testing and environmental simulation (for exact scope please refer to Certificate No. 839.01).

Address: P.O. Box 23, Binyamina 30500, Israel.  
Telephone: +972 4628 8001  
Fax: +972 4628 8277  
e-mail: mail@hermonlabs.com  
website: www.hermonlabs.com

Person for contact: Mr. Alex Usoskin, CEO.

## 12 APPENDIX D Specification references

|                                  |  |
|----------------------------------|--|
| EN 300 386 V1.4.1: 2008          | Electromagnetic compatibility and Radio spectrum Matters (ERM).<br>Telecommunication network equipment. ElectroMagnetic Compatibility (EMC) requirements             |
| EN 55022: 2010                   | Limits and methods of measurement of interference characteristics of information technology equipment  |
| CISPR 16-1-1: 2006               | Specification for radio disturbance and immunity measuring apparatus and methods. Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus |
| EN 61000-4-3: 2006+A1(08)+A2(10) | Electromagnetic compatibility (EMC). Part 4: testing and measurement techniques. Section 3: Radiated, radio frequency, electromagnetic field immunity test           |



HERMON LABORATORIES

## 13 APPENDIX E Test equipment correction factors

**Antenna factor**  
**Double-ridged guide horn antenna**  
**Model 3115, serial number: 00027177, HL 2432**

| Frequency,<br>MHz | Antenna factor.<br>dB(1/m) |
|-------------------|----------------------------|
| 1000.0            | 24.7                       |
| 1500.0            | 25.7                       |
| 2000.0            | 27.8                       |
| 2500.0            | 28.9                       |
| 3000.0            | 30.7                       |
| 3500.0            | 31.8                       |
| 4000.0            | 33.0                       |
| 4500.0            | 32.8                       |
| 5000.0            | 34.2                       |
| 5500.0            | 34.9                       |
| 6000.0            | 35.2                       |
| 6500.0            | 35.4                       |
| 7000.0            | 36.3                       |
| 7500.0            | 37.3                       |
| 8000.0            | 37.5                       |
| 8500.0            | 38.0                       |
| 9000.0            | 38.3                       |
| 9500.0            | 38.3                       |
| 10000.0           | 38.7                       |
| 10500.0           | 38.7                       |
| 11000.0           | 38.9                       |
| 11500.0           | 39.5                       |
| 12000.0           | 39.5                       |
| 12500.0           | 39.4                       |
| 13000.0           | 40.5                       |
| 13500.0           | 40.8                       |
| 14000.0           | 41.5                       |
| 14500.0           | 41.3                       |
| 15000.0           | 40.2                       |
| 15500.0           | 38.7                       |
| 16000.0           | 38.5                       |
| 16500.0           | 39.8                       |
| 17000.0           | 41.9                       |
| 17500.0           | 45.8                       |
| 18000.0           | 49.1                       |

Antenna factor in dB(1/m) is to be added to receiver meter reading in dB( $\mu$ V) to convert it into field strength in dB( $\mu$ V/m).





HERMON LABORATORIES

## 14 APPENDIX F Abbreviations and acronyms

|          |   |
|----------|---|
| A        | ampere                                      |
| AC       | alternating current                         |
| AM       | amplitude modulation                        |
| AVRG     | average (detector)                          |
| cm       | centimeter                                  |
| dB       | decibel                                     |
| dBm      | decibel referred to one milliwatt           |
| dB(µV)   | decibel referred to one microvolt           |
| dB(µV/m) | decibel referred to one microvolt per meter |
| dB(µA)   | decibel referred to one microampere         |
| DC       | direct current                              |
| EUT      | equipment under test                        |
| F        | frequency                                   |
| GHz      | gigahertz                                   |
| GND      | ground                                      |
| H        | height                                      |
| HL       | Hermon laboratories                         |
| Hz       | hertz                                       |
| k        | kilo  |
| kHz      | kilohertz                                   |
| m        | meter                                       |
| MHz      | megahertz                                   |
| min      | minute                                      |
| mm       | millimeter                                  |
| ms       | millisecond                                 |
| µs       | microsecond                                 |
| NA       | not applicable                              |
| OATS     | open area test site                         |
| Ω        | Ohm   |
| QP       | quasi-peak                                  |
| RE       | radiated emission                           |
| RF       | radio frequency                             |
| rms      | root mean square                            |
| Rx       | receive                                     |
| s        | second                                      |
| T        | temperature                                 |
| Tx       | transmit                                    |
| V        | volt  |
| WB       | wideband                                    |

END OF DOCUMENT