

24W Boost and Boost to Battery Solution for Automotive LED Lighting

Designator	Quantity	PartNumber	Manufacturer	Description
!PCB	1	LM3481_Headlighting	Any	Printed Circuit Board
.PGND, VOUT+	2	5001	Keystone	Test Point, Miniature, Black, TH
AGND, VDIM,	3	1598-2	Keystone	Terminal, Turret, TH, Triple
VREF				
B_LED-, LED+,	5	575-4	Keystone	Standard Banana Jack, Uninsulated, 5.5mm
LED_, PGND, VIN				
C1	1	GRM188R71H104KA93D	MuRata	CAP, CERM, 0.1 μF, 50 V, +/- 10%, X7R, 0603
C2	1	GRM2165C1H101JA01D	MuRata	CAP, CERM, 100 pF, 50 V, +/- 5%, C0G/NP0, 0805
Cac	1	GRM188R71E182KA01D	MuRata	CAP, CERM, 1800 pF, 25 V, +/- 10%, X7R, 0603
Сс	1	GRM188R61C225KE15D	MuRata	CAP, CERM, 2.2 µF, 16 V, +/- 10%, X5R, 0603
Cin1, Co3, Co3_B,	5	EEE-FP1V331AP	Panasonic	CAP, AL, 330 μF, 35 V, +/- 20%, 0.06 ohm, SMD
Co4, Co4_B				
Cin2	1	GRM188R61H105KAALD	MuRata	CAP, CERM, 1 µF, 50 V, +/- 10%, X5R, 0603
Cin3	1	GRM188R61E106MA73D	MuRata	CAP, CERM, 10 µF, 25 V, +/- 20%, X5R, 0603
Cin4	1	GRM21BR61E226ME44L	MuRata	CAP, CERM, 22 µF, 25 V, +/- 20%, X5R, 0805
Co1, Co1_B, Cvcc	3	GRM21BR71H105KA12L	MuRata	CAP, CERM, 1 μF, 50 V, +/- 10%, X7R, 0805
Co2, Co2_B		GRM31CR61H106KA12L	MuRata	CAP, CERM, 10 µF, 50 V, +/- 10%, X5R, 1206
Cref	1	GRM188R6YA475KE15D	MuRata	CAP, CERM, 4.7 μF, 35 V, +/- 10%, X5R, 0603
Cvsl		GRM1885C1H101JA01D	MuRata	CAP, CERM, 100 pF, 50 V, +/- 5%, C0G/NP0, 0603
D1	1	PMEG045V150EPDAZ	NXP Semiconductor	Diode, Schottky, 45 V, 15 A, AEC-Q101, CFP15
D2	1	MMSZ4685T1G	ON Semiconductor	Diode, Zener, 3.6 V, 500 mW, SOD-123
D3	1	MMSZ5256B-7-F	Diodes Inc.	Diode, Zener, 30 V, 500 mW, SOD-123
FID1, FID2, FID3	3	N/A	N/A	Fiducial mark. There is nothing to buy or mount.
H1, H2, H3, H4	4	NY PMS 440 0025 PH	B&F Fastener Supply	Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead
H5, H6, H7, H8	4	1902C	Keystone	Standoff, Hex, 0.5"L #4-40 Nylon
J1	1	PBC03SAAN	Sullins Connector Solutions	Header, 100mil, 3x1, Gold, TH
L1	1	7443551111	Wurth Elektronik	Inductor, Shielded Drum Core, WE-Perm, 11.3 µH, 9.5 A, 0.0091 ohm, SMD
LBL1	1	THT-14-423-10	Brady	Thermal Transfer Printable Labels, 0.650" W x 0.200" H - 10,000 per roll
Q1	1	SQJ422EP-T1-GE3	Vishay-Siliconix	MOSFET, N-CH, 40 V, 75 A, PowerPAK_SO-8L
Q2		BC857C-7-F	Diodes Inc.	Transistor, PNP, 45 V, 0.1 A, SOT-23
Q3		BSR302NL6327HTSA1	Infineon Technologies	MOSFET, N-CH, 30 V, 3.7 A, AEC-Q101, SOT-23
R1		CRCW060340K2FKEA	Vishay-Dale	RES, 40.2 k, 1%, 0.1 W, 0603
R2		CRCW0603100KFKEA	Vishay-Dale	RES, 100 k, 1%, 0.1 W, 0603
R3, R4, Rref		CRCW060310K0FKEA	Vishay-Dale	RES, 10.0 k, 1%, 0.1 W, 0603
R5, R8, Rdw		RCG060310K0FKEA	Vishay Draloric	RES, 10.0 k, 1%, 0.1 W, 0603

Designator	Quantity	PartNumber	Manufacturer	Description
R6	1	CRCW06034K75FKEA	Vishay-Dale	RES, 4.75 k, 1%, 0.1 W, 0603
R7	1	CRCW060320K0FKEA	Vishay-Dale	RES, 20.0 k, 1%, 0.1 W, 0603
R9	1	CRCW06031K00JNEA	Vishay-Dale	RES, 1.0 k, 5%, 0.1 W, 0603
Rac	1	CRCW0603200RFKEA	Vishay-Dale	RES, 200, 1%, 0.1 W, 0603
Rcs	1	CSRN2512FK50L0	Stackpole Electronics Inc	RES, 0.05, 1%, 2 W, 2512
Rdim	1	CRCW06031K00FKEA	Vishay-Dale	RES, 1.00 k, 1%, 0.1 W, 0603
Rfa	1	CRCW060357K6FKEA	Vishay-Dale	RES, 57.6 k, 1%, 0.1 W, 0603
Rg	1	CRCW06030000Z0EA	Vishay-Dale	RES, 0, 5%, 0.1 W, 0603
Rsen, Rsen_p	2	ERJ-L14UF25MU	Panasonic	RES, 0.025, 1%, 0.33 W, 1210
Rt	1	RT0603DRE0749R9L	Yageo America	RES, 49.9, 0.5%, 0.1 W, 0603
Rvsl	1	CRCW0603100RFKEA	Vishay-Dale	RES, 100, 1%, 0.1 W, 0603
U1	1	LM3481QMM	Texas Instruments	High Efficiency Low-Side N-Channel Controller for Switching Regulators, 10-pin MSOP
U2	1	INA213AQDCKRQ1	Texas Instruments	Voltage Output, High or Low Side Measurement, Bi-Directional Zero-Drift Series Current-Shunt Monitor, DCK0006A
VTA, VTB	2	5000	Keystone	Test Point, Miniature, Red, TH

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ('TI") reference designs are solely intended to assist designers ("Designer(s)") who are developing systems that incorporate TI products. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design.

Tl's provision of reference designs and any other technical, applications or design advice, quality characterization, reliability data or other information or services does not expand or otherwise alter Tl's applicable published warranties or warranty disclaimers for Tl products, and no additional obligations or liabilities arise from Tl providing such reference designs or other items.

TI reserves the right to make corrections, enhancements, improvements and other changes to its reference designs and other items.

Designer understands and agrees that Designer remains responsible for using its independent analysis, evaluation and judgment in designing Designer's systems and products, and has full and exclusive responsibility to assure the safety of its products and compliance of its products (and of all TI products used in or for such Designer's products) with all applicable regulations, laws and other applicable requirements. Designer represents that, with respect to its applications, it has all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. Designer agrees that prior to using or distributing any systems that include TI products, Designer will thoroughly test such systems and the functionality of such TI products as used in such systems. Designer may not use any TI products in life-critical medical equipment unless authorized officers of the parties have executed a special contract specifically governing such use. Life-critical medical equipment is medical equipment where failure of such equipment would cause serious bodily injury or death (e.g., life support, pacemakers, defibrillators, heart pumps, neurostimulators, and implantables). Such equipment includes, without limitation, all medical devices identified by the U.S. Food and Drug Administration as Class III devices and equivalent classifications outside the U.S.

Designers are authorized to use, copy and modify any individual TI reference design only in connection with the development of end products that include the TI product(s) identified in that reference design. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of the reference design or other items described above may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS AND OTHER ITEMS DESCRIBED ABOVE ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY DESIGNERS AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS AS DESCRIBED IN A TI REFERENCE DESIGN OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Tl's standard terms of sale for semiconductor products (http://www.ti.com/sc/docs/stdterms.htm) apply to the sale of packaged integrated circuit products. Additional terms may apply to the use or sale of other types of TI products and services.

Designer will fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of Designer's non-compliance with the terms and provisions of this Notice.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2016, Texas Instruments Incorporated