

## Texas Instruments - On Semiconductor UC284xx, UC384xx Cross-Reference

On Semi Generic	On Semi Part Number	On Semi PN Comments	On Semi Temp °C	Package Type	TI Generic	TI Part Number	TI PN Comments	TI RoHS or Green PN	Part Number Replacement Type	TI Temp °C
UC2842A	SC2842AN	Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2842B	TL2842BP			Direct	-40 to 85
UC2842A	SC2842ANG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2842B	TL2842BP		TL2842BPE4	Direct	-40 to 85
UC2842A	UC2842AD	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2842B	TL2842BD			Direct	-40 to 85
UC2842A	UC2842ADG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2842B	TL2842BD		TL2842BDG4	Direct	-40 to 85
UC2842A	UC2842ADR2	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2842B	TL2842BDR			Direct	-40 to 85
UC2842A	UC2842ADR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2842B	TL2842BDR		TL2842BDRG4	Direct	-40 to 85
UC2842A	UC2842AN	Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2842B	TL2842BP			Direct	-40 to 85
UC2842A	UC2842ANG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2842B	TL2842BP		TL2842BPE4	Direct	-40 to 85
UC2842B	UC2842BD		-25 to 85	SOIC	TL2842B	TL2842BD			Direct	-40 to 85
UC2842B	UC2842BD1		-25 to 85	SOIC	TL2842B	TL2842BD-8			Direct	-40 to 85
UC2842B	UC2842BD1G	Pb-Free	-25 to 85	SOIC	TL2842B	TL2842BD-8		TL2842BDG4-8	Direct	-40 to 85
UC2842B	UC2842BD1R2		-25 to 85	SOIC	TL2842B	TL2842BDR-8			Direct	-40 to 85
UC2842B	UC2842BD1R2G	Pb-Free	-25 to 85	SOIC	TL2842B	TL2842BDR-8		TL2842BDRG4-8	Direct	-40 to 85
UC2842B	UC2842BDG	Pb-Free	-25 to 85	SOIC	TL2842B	TL2842BD		TL2842BDG4	Direct	-40 to 85
UC2842B	UC2842BDR2G	Pb-Free	-25 to 85	SOIC	TL2842B	TL2842BDR		TL2842BDRG4	Direct	-40 to 85
UC2842B	UC2842BN		-25 to 85	PDIP	TL2842B	TL2842BP			Direct	-40 to 85
UC2842B	UC2842BNG	Pb-Free	-25 to 85	PDIP	TL2842B	TL2842BP		TL2842BPE4	Direct	-40 to 85
UC2843A	UC2843AD	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BD			Direct	-40 to 85
UC2843A	UC2843AD1	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BD-8			Direct	-40 to 85
UC2843A	UC2843AD1G	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BD-8		TL2843BDG4-8	Direct	-40 to 85
UC2843A	UC2843AD1R2	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BDR-8			Direct	-40 to 85
UC2843A	UC2843AD1R2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BDR-8		TL2843BDRG4-8	Direct	-40 to 85
UC2843A	UC2843ADG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BD		TL2843BDG4	Direct	-40 to 85
UC2843A	UC2843ADR2	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BDR			Direct	-40 to 85
UC2843A	UC2843ADR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BDR		TL2843BDRG4	Direct	-40 to 85
UC2843A	UC2843AN	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2843B	TL2843BP			Direct	-40 to 85
UC2843A	UC2843ANG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2843B	TL2843BP		TL2843BPG4	Direct	-40 to 85
UC2843B	UC2843BD		-25 to 85	SOIC	TL2843B	TL2843BD			Direct	-40 to 85
UC2843B	UC2843BD1		-25 to 85	SOIC	TL2843B	TL2843BD-8			Direct	-40 to 85
UC2843B	UC2843BD1G	Pb-Free	-25 to 85	SOIC	TL2843B	TL2843BD-8		TL2843BDG4-8	Direct	-40 to 85
UC2843B	UC2843BD1R2		-25 to 85	SOIC	TL2843B	TL2843BDR-8			Direct	-40 to 85
UC2843B	UC2843BD1R2G	Pb-Free	-25 to 85	SOIC	TL2843B	TL2843BDR-8		TL2843BDRG4-8	Direct	-40 to 85
UC2843B	UC2843BDG	Pb-Free	-25 to 85	SOIC	TL2843B	TL2843BD		TL2843BDG4	Direct	-40 to 85
UC2843B	UC2843BDR2		-25 to 85	SOIC	TL2843B	TL2843BDR			Direct	-40 to 85
UC2843B	UC2843BDR2G	Pb-Free	-25 to 85	SOIC	TL2843B	TL2843BDR		TL2843BDRG4	Direct	-40 to 85
UC2843B	UC2843BN		-25 to 85	PDIP	TL2843B	TL2843BP			Direct	-40 to 85
UC2843B	UC2843BNG	Pb-Free	-25 to 85	PDIP	TL2843B	TL2843BP		TL2843BPG4	Direct	-40 to 85
UC2844B	UC2844BD1R2		-25 to 85	SOIC	TL2844B	TL2844BDR-8			Direct	-40 to 85
UC2844B	UC2844BD1R2G	Pb-Free	-25 to 85	SOIC	TL2844B	TL2844BDR-8		TL2844BDRG4-8	Direct	-40 to 85
UC2844B	UC2844BDR2		-25 to 85	SOIC	TL2844B	TL2844BDR			Direct	-40 to 85
UC2844B	UC2844BDR2G	Pb-Free	-25 to 85	SOIC	TL2844B	TL2844BDR		TL2844BDRG4	Direct	-40 to 85
UC2844B	UC2844BN		-25 to 85	PDIP	TL2844B	TL2844BP			Direct	-40 to 85
UC2844B	UC2844BNG	Pb-Free	-25 to 85	PDIP	TL2844B	TL2844BP		TL2844BPE4	Direct	-40 to 85
UC2844	UC2844D	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2844	TL2844D			Direct	-40 to 85
UC2844	UC2844DG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2844	TL2844D		TL2844DE4	Direct	-40 to 85
UC2844	UC2844DR2	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2844	TL2844DR			Direct	-40 to 85

## Texas Instruments - On Semiconductor UC284xx, UC384xx Cross-Reference

On Semi Generic	On Semi Part Number	On Semi PN Comments	On Semi Temp °C	Package Type	TI Generic	TI Part Number	TI PN Comments	TI RoHS or Green PN	Part Number Replacement Type	TI Temp °C
UC2844	UC2844DR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2844	TL2844DR		TL2844DRE4	Direct	-40 to 85
UC2844	UC2844N	Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2844	TL2844P			Direct	-40 to 85
UC2844	UC2844NG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2844	TL2844P		TL2844PE4	Direct	-40 to 85
UC2845B	UC2845BD		-25 to 85	SOIC	TL2845B	TL2845BD			Direct	-40 to 85
UC2845B	UC2845BD1		-25 to 85	SOIC	TL2845B	TL2845BD-8			Direct	-40 to 85
UC2845B	UC2845BD1G	Pb-Free	-25 to 85	SOIC	TL2845B	TL2845BD-8		TL2845BDG4-8	Direct	-40 to 85
UC2845B	UC2845BD1R2		-25 to 85	SOIC	TL2845B	TL2845BDR-8			Direct	-40 to 85
UC2845B	UC2845BD1R2G	Pb-Free	-25 to 85	SOIC	TL2845B	TL2845BDR-8		TL2845BDRG4-8	Direct	-40 to 85
UC2845B	UC2845BDG	Pb-Free	-25 to 85	SOIC	TL2845B	TL2845BD		TL2845BDG4	Direct	-40 to 85
UC2845B	UC2845BDR2		-25 to 85	SOIC	TL2845B	TL2845BDR			Direct	-40 to 85
UC2845B	UC2845BDR2G	Pb-Free	-25 to 85	SOIC	TL2845B	TL2845BDR		TL2845BDRG4	Direct	-40 to 85
UC2845	UC2845BN	Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2845	TL2845P			Direct	-40 to 85
UC2845	UC2845D	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2845	TL2845D			Direct	-40 to 85
UC2845	UC2845DG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2845	TL2845D		TL2845DG4	Direct	-40 to 85
UC2845	UC2845DR2	Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2845	TL2845DR			Direct	-40 to 85
UC2845	UC2845DR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	SOIC	TL2845	TL2845DR		TL2845DRG4	Direct	-40 to 85
UC2845	UC2845N	Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2845	TL2845P			Direct	-40 to 85
UC2845B	UC2845NG	Pb-Free, Discontinued PDN 15532, 05/15/2006	-25 to 85	PDIP	TL2845B	TL2845BP		TL2845BPE4	Direct	-40 to 85
UC3842A	UC3842AD	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3842B	TL3842BD			Direct	0 to 70
UC3842A	UC3842ADG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3842B	TL3842BD		TL3842BDG4	Direct	0 to 70
UC3842A	UC3842ADR2	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3842B	TL3842BDR			Direct	0 to 70
UC3842A	UC3842ADR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3842B	TL3842BDR		TL3842BDRG4	Direct	0 to 70
UC3842A	UC3842AN	Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3842B	TL3842BP			Direct	0 to 70
UC3842A	UC3842AN2	Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3842B	TL3842BP			Direct	0 to 70
UC3842A	UC3842AN2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3842B	TL3842BP		TL3842BPE4	Direct	0 to 70
UC3842A	UC3842ANG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3842B	TL3842BP		TL3842BPE4	Direct	0 to 70
UC3842B	UC3842BD		0 to 70	SOIC	TL3842B	TL3842BD			Direct	0 to 70
UC3842B	UC3842BD1		0 to 70	SOIC	TL3842B	TL3842BD-8			Direct	0 to 70
UC3842B	UC3842BD1G	Pb-Free	0 to 70	SOIC	TL3842B	TL3842BD-8		TL3842BDG4-8	Direct	0 to 70
UC3842B	UC3842BD1R2		0 to 70	SOIC	TL3842B	TL3842BDR-8			Direct	0 to 70
UC3842B	UC3842BD1R2G	Pb-Free	0 to 70	SOIC	TL3842B	TL3842BDR-8		TL3842BDRG4-8	Direct	0 to 70
UC3842B	UC3842BDG	Pb-Free	0 to 70	SOIC	TL3842B	TL3842BD		TL3842BDG4	Direct	0 to 70
UC3842B	UC3842BDR2		0 to 70	SOIC	TL3842B	TL3842BDR			Direct	0 to 70
UC3842B	UC3842BDR2G	Pb-Free	0 to 70	SOIC	TL3842B	TL3842BDR		TL3842BDRG4	Direct	0 to 70
UC3842B	UC3842BN		0 to 70	PDIP	TL3842B	TL3842BP			Direct	0 to 70
UC3842B	UC3842BNG	Pb-Free	0 to 70	PDIP	TL3842B	TL3842BP		TL3842BPE4	Direct	0 to 70
UC3842B	UC3842BVD1		-40 to 105	SOIC	TL2842B	TL2842BD-8	TI temperature 85C maximum		Direct	-40 to 85
UC3842B	UC3842BVD1G	Pb-Free	-40 to 105	SOIC	TL2842B	TL2842BD-8	TI temperature 85C maximum	TL2842BDG4-8	Direct	-40 to 85
UC3842B	UC3842BVD1R2		-40 to 105	SOIC	TL2842B	TL2842BDR-8	TI temperature 85C maximum		Direct	-40 to 85
UC3842B	UC3842BVD1R2G	Pb-Free	-40 to 105	SOIC	TL2842B	TL2842BDR-8	TI temperature 85C maximum	TL2842BDRG4-8	Direct	-40 to 85
UC3842B	UC3842BVDR2		-40 to 105	SOIC	TL2842B	TL2842BDR	TI temperature 85C maximum		Direct	-40 to 85
UC3842B	UC3842BVDR2G	Pb-Free	-40 to 105	SOIC	TL2842B	TL2842BDR	TI temperature 85C maximum	TL2842BDRG4	Direct	-40 to 85
UC3843A	UC3843AD	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BD			Direct	0 to 70
UC3843A	UC3843AD1	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BD-8			Direct	0 to 70
UC3843A	UC3843AD1G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BD-8		TL3843BDG4-8	Direct	0 to 70
UC3843A	UC3843AD1R2	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BDR-8			Direct	0 to 70

## Texas Instruments - On Semiconductor UC284xx, UC384xx Cross-Reference

On Semi Generic	On Semi Part Number	On Semi PN Comments	On Semi Temp °C	Package Type	TI Generic	TI Part Number	TI PN Comments	TI RoHS or Green PN	Part Number Replacement Type	TI Temp °C
UC3843A	UC3843AD1R2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BDR-8		TL3843BDRG4-8	Direct	0 to 70
UC3843A	UC3843AD2R2	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BDR			Direct	0 to 70
UC3843A	UC3843AD2R2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BDR		TL3843BDRG4	Direct	0 to 70
UC3843A	UC3843ADG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BD		TL3843BDG4	Direct	0 to 70
UC3843A	UC3843ADR2	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BDR			Direct	0 to 70
UC3843A	UC3843ADR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3843B	TL3843BDR		TL3843BDRG4	Direct	0 to 70
UC3843A	UC3843AN	Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3843B	TL3843BP			Direct	0 to 70
UC3843A	UC3843AN2	Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3843B	TL3843BP			Direct	0 to 70
UC3843A	UC3843AN2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3843B	TL3843BP		TL3843BPE4	Direct	0 to 70
UC3843A	UC3843ANG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3843B	TL3843BP		TL3843BPE4	Direct	0 to 70
UC3843B	UC3843BD		0 to 70	SOIC	TL3843B	TL3843BD			Direct	0 to 70
UC3843B	UC3843BD1		0 to 70	SOIC	TL3843B	TL3843BD-8			Direct	0 to 70
UC3843B	UC3843BD1G	Pb-Free	0 to 70	SOIC	TL3843B	TL3843BD-8		TL3843BDG4-8	Direct	0 to 70
UC3843B	UC3843BD1R2		0 to 70	SOIC	TL3843B	TL3843BDR-8			Direct	0 to 70
UC3843B	UC3843BD1R2G	Pb-Free	0 to 70	SOIC	TL3843B	TL3843BDR-8		TL3843BDRG4-8	Direct	0 to 70
UC3843B	UC3843BDG	Pb-Free	0 to 70	SOIC	TL3843B	TL3843BD		TL3843BDG4	Direct	0 to 70
UC3843B	UC3843BDR2		0 to 70	SOIC	TL3843B	TL3843BDR			Direct	0 to 70
UC3843B	UC3843BDR2G	Pb-Free	0 to 70	SOIC	TL3843B	TL3843BDR		TL3843BDRG4	Direct	0 to 70
UC3843B	UC3843BN		0 to 70	PDIP	TL3843B	TL3843BP			Direct	0 to 70
UC3843B	UC3843BNG	Pb-Free	0 to 70	PDIP	TL3843B	TL3843BP		TL3843BPE4	Direct	0 to 70
UC3843B	UC3843BVD		-40 to 105	SOIC	TL2843B	TL2843BD	TI temperature 85C maximum		Direct	-40 to 85
UC3843B	UC3843BVD1		-40 to 105	SOIC	TL2843B	TL2843BD-8	TI temperature 85C maximum		Direct	-40 to 85
UC3843B	UC3843BVD1G	Pb-Free	-40 to 105	SOIC	TL2843B	TL2843BD-8	TI temperature 85C maximum	TL2843BDG4-8	Direct	-40 to 85
UC3843B	UC3843BVD1R2		-40 to 105	SOIC	TL2843B	TL2843BDR-8	TI temperature 85C maximum		Direct	-40 to 85
UC3843B	UC3843BVD1R2G	Pb-Free	-40 to 105	SOIC	TL2843B	TL2843BDR-8	TI temperature 85C maximum	TL2843BDRG4-8	Direct	-40 to 85
UC3843B	UC3843BVDPG	Pb-Free	-40 to 105	SOIC	TL2843B	TL2843BD	TI temperature 85C maximum	TL2843BDG4	Direct	-40 to 85
UC3843B	UC3843BVDR2		-40 to 105	SOIC	TL2843B	TL2843BDR	TI temperature 85C maximum		Direct	-40 to 85
UC3843B	UC3843BVDR2G	Pb-Free	-40 to 105	SOIC	TL2843B	TL2843BDR	TI temperature 85C maximum	TL2843BDRG4	Direct	-40 to 85
UC3843B	UC3843BVN		-40 to 105	PDIP	TL2843B	TL2843BP	TI temperature 85C maximum		Direct	-40 to 85
UC3843B	UC3843BVNG	Pb-Free	-40 to 105	PDIP	TL2843B	TL2843BP	TI temperature 85C maximum	TL2843BPG4	Direct	-40 to 85
UC3844B	UC3844BD		0 to 70	SOIC	TL3844B	TL3844BD			Direct	0 to 70
UC3844B	UC3844BD1		0 to 70	SOIC	TL3844B	TL3844BD-8			Direct	0 to 70
UC3844B	UC3844BD1G	Pb-Free	0 to 70	SOIC	TL3844B	TL3844BD-8		TL3844BDG4-8	Direct	0 to 70
UC3844B	UC3844BD1R2		0 to 70	SOIC	TL3844B	TL3844BDR-8			Direct	0 to 70
UC3844B	UC3844BD1R2G	Pb-Free	0 to 70	SOIC	TL3844B	TL3844BDR-8		TL3844BDRG4-8	Direct	0 to 70
UC3844B	UC3844BDG	Pb-Free	0 to 70	SOIC	TL3844B	TL3844BD		TL3844BDG4	Direct	0 to 70
UC3844B	UC3844BDR2		0 to 70	SOIC	TL3844B	TL3844BDR			Direct	0 to 70
UC3844B	UC3844BDR2G	Pb-Free	0 to 70	SOIC	TL3844B	TL3844BDR		TL3844BDRG4	Direct	0 to 70
UC3844B	UC3844BN		0 to 70	PDIP	TL3844B	TL3844BP			Direct	0 to 70
UC3844B	UC3844BNG	Pb-Free	0 to 70	PDIP	TL3844B	TL3844BP		TL3844BPE4	Direct	0 to 70
UC3844B	UC3844BVD		-40 to 105	SOIC	TL2844B	TL2844BD	TI temperature 85C maximum		Direct	-40 to 85
UC3844B	UC3844BVD1		-40 to 105	SOIC	TL2844B	TL2844BD-8	TI temperature 85C maximum		Direct	-40 to 85
UC3844B	UC3844BVD1G	Pb-Free	-40 to 105	SOIC	TL2844B	TL2844BD-8	TI temperature 85C maximum	TL2844BDG4-8	Direct	-40 to 85
UC3844B	UC3844BVD1R2		-40 to 105	SOIC	TL2844B	TL2844BDR-8	TI temperature 85C maximum		Direct	-40 to 85
UC3844B	UC3844BVD1R2G	Pb-Free	-40 to 105	SOIC	TL2844B	TL2844BDR-8	TI temperature 85C maximum	TL2844BDRG4-8	Direct	-40 to 85
UC3844B	UC3844BVDPG	Pb-Free	-40 to 105	SOIC	TL2844B	TL2844BD	TI temperature 85C maximum	TL2844BDG4	Direct	-40 to 85

## Texas Instruments - On Semiconductor UC284xx, UC384xx Cross-Reference

On Semi Generic	On Semi Part Number	On Semi PN Comments	On Semi Temp °C	Package Type	TI Generic	TI Part Number	TI PN Comments	TI RoHS or Green PN	Part Number Replacement Type	TI Temp °C
UC3844B	UC3844BVDR2		-40 to 105	SOIC	TL2844B	TL2844BDR	TI temperature 85C maximum		Direct	-40 to 85
UC3844B	UC3844BVDR2G	Pb-Free	-40 to 105	SOIC	TL2844B	TL2844BDR	TI temperature 85C maximum	TL2844BDRG4	Direct	-40 to 85
UC3844B	UC3844BVN		-40 to 105	PDIP	TL2844B	TL2844BP	TI temperature 85C maximum		Direct	-40 to 85
UC3844B	UC3844BVNG	Pb-Free	-40 to 105	PDIP	TL2844B	TL2844BP	TI temperature 85C maximum	TL2844BPE4	Direct	-40 to 85
UC3844	UC3844D	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3844	TL3844D			Direct	0 to 70
UC3844	UC3844DG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3844	TL3844D		TL3844DE4	Direct	0 to 70
UC3844	UC3844DR2	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3844	TL3844DR			Direct	0 to 70
UC3844	UC3844DR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3844	TL3844DR		TL3844DRE4	Direct	0 to 70
UC3844	UC3844N	Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3844	TL3844P			Direct	0 to 70
UC3844	UC3844NG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3844	TL3844P		TL3844PE4	Direct	0 to 70
UC3845B	UC3845BD		0 to 70	SOIC	TL3845B	TL3845BD			Direct	0 to 70
UC3845B	UC3845BD1		0 to 70	SOIC	TL3845B	TL3845BD-8			Direct	0 to 70
UC3845B	UC3845BD1G	Pb-Free	0 to 70	SOIC	TL3845B	TL3845BD-8		TL3845BDG4-8	Direct	0 to 70
UC3845B	UC3845BD1R2		0 to 70	SOIC	TL3845B	TL3845BDR-8			Direct	0 to 70
UC3845B	UC3845BD1R2G	Pb-Free	0 to 70	SOIC	TL3845B	TL3845BDR-8		TL3845BDRG4-8	Direct	0 to 70
UC3845B	UC3845BDG	Pb-Free	0 to 70	SOIC	TL3845B	TL3845BD		TL3845BDG4	Direct	0 to 70
UC3845B	UC3845BDR2		0 to 70	SOIC	TL3845B	TL3845BDR			Direct	0 to 70
UC3845B	UC3845BDR2G	Pb-Free	0 to 70	SOIC	TL3845B	TL3845BDR		TL3845BDRG4	Direct	0 to 70
UC3845B	UC3845BN		0 to 70	PDIP	TL3845B	TL3845BP			Direct	0 to 70
UC3845B	UC3845BNG	Pb-Free	0 to 70	PDIP	TL3845B	TL3845BP		TL3845BPE4	Direct	0 to 70
UC3845B	UC3845BVD		-40 to 105	SOIC	TL2845B	TL2845BD	TI temperature 85C maximum		Direct	-40 to 85
UC3845B	UC3845BVD1		-40 to 105	SOIC	TL2845B	TL2845BD-8	TI temperature 85C maximum		Direct	-40 to 85
UC3845B	UC3845BVD1G	Pb-Free	-40 to 105	SOIC	TL2845B	TL2845BD-8	TI temperature 85C maximum	TL2845BDG4-8	Direct	-40 to 85
UC3845B	UC3845BVD1R2		-40 to 105	SOIC	TL2845B	TL2845BDR-8	TI temperature 85C maximum		Direct	-40 to 85
UC3845B	UC3845BVD1R2G	Pb-Free	-40 to 105	SOIC	TL2845B	TL2845BDR-8	TI temperature 85C maximum	TL2845BDRG4-8	Direct	-40 to 85
UC3845B	UC3845BVDG	Pb-Free	-40 to 105	SOIC	TL2845B	TL2845BD	TI temperature 85C maximum	TL2845BDG4	Direct	-40 to 85
UC3845B	UC3845BVDR2		-40 to 105	SOIC	TL2845B	TL2845BDR	TI temperature 85C maximum		Direct	-40 to 85
UC3845B	UC3845BVDR2G	Pb-Free	-40 to 105	SOIC	TL2845B	TL2845BDR	TI temperature 85C maximum	TL2845BDRG4	Direct	-40 to 85
UC3845B	UC3845BVN		-40 to 105	PDIP	TL2845B	TL2845BP	TI temperature 85C maximum		Direct	-40 to 85
UC3845B	UC3845BVNG	Pb-Free	-40 to 105	PDIP	TL2845B	TL2845BP	TI temperature 85C maximum	TL2845BPE4	Direct	-40 to 85
UC3845	UC3845D	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3845	TL3845D			Direct	0 to 70
UC3845	UC3845DG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3845	TL3845D		TL3845DE4	Direct	0 to 70
UC3845	UC3845DR2	Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3845	TL3845DR			Direct	0 to 70
UC3845	UC3845DR2G	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	SOIC	TL3845	TL3845DR		TL3845DRE4	Direct	0 to 70
UC3845	UC3845N	Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3845	TL3845P			Direct	0 to 70
UC3845	UC3845NG	Pb-Free, Discontinued PDN 15532, 05/15/2006	0 to 70	PDIP	TL3845	TL3845P		TL3845PE4	Direct	0 to 70