



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI29FCT520ATR	Multilevel Pipeline Register	R	TSSOP	DBQ	Not available	This package
PI29FCT520BTR	Multilevel Pipeline Register	R	TSSOP	DBQ	Not available	This package
PI29FCT520TR	Multilevel Pipeline Register	R	TSSOP	DBQ	Not available	This package
PI29FCT521ATR	Multilevel Pipeline Register	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI29FCT521BTR	Multilevel Pipeline Register	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI29FCT521TR	Multilevel Pipeline Register	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI29FCT52ATR	Octal Registered Transceiver	R	TSSOP	DBQ	CY29FCT52CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI29FCT52BTR	Octal Registered Transceiver	R	TSSOP	DBQ	CY29FCT52CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI29FCT52CTR	Octal Registered Transceiver	R	TSSOP	DBQ	CY29FCT52CTQCT	Package height 1.75 vs 1.20 mm max.
PI29FCT53ATP	Octal Registered Transceiver	P	PDIP	N	Not available	
PI29FCT53ATQ	Octal Registered Transceiver	Q	QSOP	DBQ	Not available	
PI29FCT53ATR	Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI29FCT53ATS	Octal Registered Transceiver	S	SOIC	DW	Not available	
PI29FCT53BTP	Octal Registered Transceiver	P	PDIP	N	Not available	
PI29FCT53BTQ	Octal Registered Transceiver	Q	QSOP	DBQ	Not available	
PI29FCT53BTR	Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI29FCT53BTS	Octal Registered Transceiver	S	SOIC	DW	Not available	
PI29FCT53CTP	Octal Registered Transceiver	P	PDIP	N	Not available	
PI29FCT53CTQ	Octal Registered Transceiver	Q	QSOP	DBQ	Not available	
PI29FCT53CTR	Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI29FCT53CTS	Octal Registered Transceiver	S	SOIC	DW	Not available	
PI74ALVC162834FDA	18-Bit, Universal Bus Driver	A	TSSOP	DGG	SN74ALVCF162834GR	
PI74ALVC162834FDK	18-Bit, Universal Bus Driver	K	TSSOP	DGV	SN74ALVCF162834VR	
PI74ALVC162834FDV	18-Bit, Universal Bus Driver	V	SSOP	DL	SN74ALVCF162834LR	In tubes - SN74ALVCF162834DL
PI74ALVC162835FDA	18-Bit, Universal Bus Driver	A	TSSOP	DGG	SN74ALVCF162835GR	
PI74ALVC162835FDK	18-Bit, Universal Bus Driver	K	TSSOP	DGV	SN74ALVCF162835VR	
PI74ALVC162835FDV	18-Bit, Universal Bus Driver	V	SSOP	DL	SN74ALVCF162835LR	In tubes - SN74ALVCF162835DL
PI74FCT162244MTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	This output current
PI74FCT162244MTB	16-Bit Buffer/Line Driver	B	BQSOP		Not available	This output current
PI74FCT162244MTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	This output current
PI74FCT162540ATA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162540ATV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162540CTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162540CTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162540DTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162540DTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162540ETA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162540ETV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	This speed grade
PI74FCT162540TA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162540TV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H240ATA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H240ATV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H240CTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H240CTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H240DTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H240DTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H240ETA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H240ETV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	This speed grade
PI74FCT162H240TA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H240TV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H373ATA	16-Bit Transparent Latch	A	TSSOP	DGG	Not available	
PI74FCT162H373ATV	16-Bit Transparent Latch	V	SSOP	DL	Not available	
PI74FCT162H373CTA	16-Bit Transparent Latch	A	TSSOP	DGG	Not available	
PI74FCT162H373CTV	16-Bit Transparent Latch	V	SSOP	DL	Not available	
PI74FCT162H373DTA	16-Bit Transparent Latch	A	TSSOP	DGG	Not available	



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI74FCT162H373DTV	16-Bit Transparent Latch	V	SSOP	DL	Not available	
PI74FCT162H373ETA	16-Bit Transparent Latch	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H373ETV	16-Bit Transparent Latch	V	SSOP	DL	Not available	This speed grade
PI74FCT162H373TA	16-Bit Transparent Latch	A	TSSOP	DGG	Not available	
PI74FCT162H373TV	16-Bit Transparent Latch	V	SSOP	DL	Not available	
PI74FCT162H374ATA	16-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H374ATV	16-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H374CTA	16-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H374CTV	16-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H374DTA	16-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H374DTV	16-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H374ETA	16-Bit Register	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H374ETV	16-Bit Register	V	SSOP	DL	Not available	This speed grade
PI74FCT162H374TA	16-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H374TV	16-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H540ATA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H540ATV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H540CTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H540CTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H540DTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H540DTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H540ETA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H540ETV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	This speed grade
PI74FCT162H540TA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H540TV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H541ATA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H541ATV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H541CTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H541CTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H541DTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H541DTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H541ETA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H541ETV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	This speed grade
PI74FCT162H541TA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT162H541TV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT162H646ATA	16-Bit Registered Transceiver	A	TSSOP	DGG	Not available	
PI74FCT162H646ATV	16-Bit Registered Transceiver	V	SSOP	DL	Not available	
PI74FCT162H646CTA	16-Bit Registered Transceiver	A	TSSOP	DGG	Not available	
PI74FCT162H646CTV	16-Bit Registered Transceiver	V	SSOP	DL	Not available	
PI74FCT162H646DTA	16-Bit Registered Transceiver	A	TSSOP	DGG	Not available	
PI74FCT162H646DTV	16-Bit Registered Transceiver	V	SSOP	DL	Not available	
PI74FCT162H646ETA	16-Bit Registered Transceiver	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H646ETV	16-Bit Registered Transceiver	V	SSOP	DL	Not available	This speed grade
PI74FCT162H646TA	16-Bit Registered Transceiver	A	TSSOP	DGG	Not available	
PI74FCT162H646TV	16-Bit Registered Transceiver	V	SSOP	DL	Not available	
PI74FCT162H823ATA	18-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H823ATV	18-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H823BTA	18-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H823BTV	18-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H823CTA	18-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H823CTV	18-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H823DTA	18-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H823DTV	18-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H823ETA	18-Bit Register	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H823ETV	18-Bit Register	V	SSOP	DL	Not available	This speed grade



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI74FCT162H823TA	18-Bit Register	A	TSSOP	DGG	Not available	
PI74FCT162H823TV	18-Bit Register	V	SSOP	DL	Not available	
PI74FCT162H827ATA	20-Bit Buffer	A	TSSOP	DGG	Not available	
PI74FCT162H827ATV	20-Bit Buffer	V	SSOP	DL	Not available	
PI74FCT162H827BTA	20-Bit Buffer	A	TSSOP	DGG	Not available	
PI74FCT162H827BTV	20-Bit Buffer	V	SSOP	DL	Not available	
PI74FCT162H827CTA	20-Bit Buffer	A	TSSOP	DGG	Not available	
PI74FCT162H827CTV	20-Bit Buffer	V	SSOP	DL	Not available	
PI74FCT162H827DTA	20-Bit Buffer	A	TSSOP	DGG	Not available	
PI74FCT162H827DTV	20-Bit Buffer	V	SSOP	DL	Not available	
PI74FCT162H827ETA	20-Bit Buffer	A	TSSOP	DGG	Not available	This speed grade
PI74FCT162H827ETV	20-Bit Buffer	V	SSOP	DL	Not available	This speed grade
PI74FCT162H827TA	20-Bit Buffer	A	TSSOP	DGG	Not available	
PI74FCT162H827TV	20-Bit Buffer	V	SSOP	DL	Not available	
PI74FCT163240A	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT163240AA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT163240AV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT163240CA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT163240CV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT16540ATA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT16540ATV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT16540CTA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT16540CTV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT16540TA	16-Bit Buffer/Line Driver	A	TSSOP	DGG	Not available	
PI74FCT16540TV	16-Bit Buffer/Line Driver	V	SSOP	DL	Not available	
PI74FCT193ATP	4-Bit Synchronous Up/Down Counters with Preset	P	PDIP	N	Not available	
PI74FCT193ATQ	4-Bit Synchronous Up/Down Counters with Preset	Q	QSOP	DBQ	Not available	
PI74FCT193ATS	4-Bit Synchronous Up/Down Counters with Preset	S	SOIC	DW	Not available	
PI74FCT193TP	4-Bit Synchronous Up/Down Counters with Preset	P	PDIP	N	Not available	
PI74FCT193TQ	4-Bit Synchronous Up/Down Counters with Preset	Q	QSOP	DBQ	Not available	
PI74FCT193TS	4-Bit Synchronous Up/Down Counters with Preset	S	SOIC	DW	Not available	
PI74FCT2163ATQ	4-Bit Synchronous Binary Counter with Clock	Q	QSOP	DBQ	Not available	
PI74FCT2163ATS	4-Bit Synchronous Binary Counter with Clock	S	SOIC	DW	Not available	
PI74FCT2163ATW	4-Bit Synchronous Binary Counter with Clock	W	SOIC	D	Not available	
PI74FCT2163CTQ	4-Bit Synchronous Binary Counter with Clock	Q	QSOP	DBQ	Not available	
PI74FCT2163CTS	4-Bit Synchronous Binary Counter with Clock	S	SOIC	DW	Not available	
PI74FCT2163CTW	4-Bit Synchronous Binary Counter with Clock	W	SOIC	D	Not available	
PI74FCT2163TQ	4-Bit Synchronous Binary Counter with Clock	Q	QSOP	DBQ	Not available	
PI74FCT2163TS	4-Bit Synchronous Binary Counter with Clock	S	SOIC	DW	Not available	
PI74FCT2163TW	4-Bit Synchronous Binary Counter with Clock	W	SOIC	D	Not available	
PI74FCT2241ATR	Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2241CTR	Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2241TR	Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2244ATR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT2244ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2244CTR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT2244CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2244DTR	Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	This speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2244TR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT2244TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2245ATR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT2245ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2245CTR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT2245CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2245DTR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	Not available	This speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2245TR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT2245TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2374ATR	Octal D Register	R	TSSOP	DBQ	CY74FCT2374ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2374CTR	Octal D Register	R	TSSOP	DBQ	CY74FCT2374CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2374DTR	Octal D Register	R	TSSOP	DBQ	Not available	This speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2374TR	Octal D Register	R	TSSOP	DBQ	CY74FCT2374TQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI74FCT241ATP	Octal Buffer/Line Driver	P	PDIP	N	Not available	
PI74FCT241ATQ	Octal Buffer/Line Driver	Q	QSOP	DBQ	Not available	
PI74FCT241TR	Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT244ATR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT244ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT244CTR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT244CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT244DTR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT244DTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT244TR	Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT244TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT245ATR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT245ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT245CTR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT245CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT245DTR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT245DTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT245TR	Octal Bidirectional Transceiver	R	TSSOP	DBQ	CY74FCT245TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2543ATR	Non-Inverting Octal Latched Transceiver	R	TSSOP	DBQ	CY74FCT2543ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2543CTR	Non-Inverting Octal Latched Transceiver	R	TSSOP	DBQ	CY74FCT2543CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2543TR	Non-Inverting Octal Latched Transceiver	R	TSSOP	DBQ	CY74FCT2543TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2573ATR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT2573ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2573CTR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT2573CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2573TR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT2573TQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2646ATR	Octal Registered Transceiver	R	TSSOP	DBQ	CY74FCT2646ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2646CTR	Octal Registered Transceiver	R	TSSOP	DBQ	CY74FCT2646CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2646TR	Octal Registered Transceiver	R	TSSOP	DBQ	CY74FCT2646TQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2652ATR	Octal Registered Transceiver	R	TSSOP	DBQ	CY74FCT2652ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2652TR	Octal Registered Transceiver	R	TSSOP	DBQ	CY74FCT2652TQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.
PI74FCT273ATR	Octal D Flip-Flop with Reset	R	TSSOP	DBQ	CY74FCT273ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT273CTR	Octal D Flip-Flop with Reset	R	TSSOP	DBQ	CY74FCT273CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT273TR	Octal D Flip-Flop with Reset	R	TSSOP	DBQ	CY74FCT273TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2821ATR	Bus Interface Registers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2821BTR	Bus Interface Registers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2821CTR	Bus Interface Registers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2823ATR	Bus Interface Registers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2823BTR	Bus Interface Registers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2823CTR	Bus Interface Registers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2827ATR	10-Bit Buffer	R	TSSOP	DBQ	CY74FCT2827ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2827BTR	10-Bit Buffer	R	TSSOP	DBQ	CY74FCT2827CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2827CTR	10-Bit Buffer	R	TSSOP	DBQ	CY74FCT2827CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT2827TR	10-Bit Buffer	R	TSSOP	DBQ	CY74FCT2827TQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.
PI74FCT2828ATR	10-Bit Inverting Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2828BTR	10-Bit Inverting Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2828CTR	10-Bit Inverting Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2861ATP	10-Bit Transceivers	P	PDIP	N	Not available	
PI74FCT2861ATQ	10-Bit Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT2861ATR	10-Bit Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2861ATS	10-Bit Transceivers	S	SOIC	DW	Not available	
PI74FCT2861BTP	10-Bit Transceivers	P	PDIP	N	Not available	
PI74FCT2861BTQ	10-Bit Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT2861BTR	10-Bit Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2861BTS	10-Bit Transceivers	S	SOIC	DW	Not available	
PI74FCT2861CTP	10-Bit Transceivers	P	PDIP	N	Not available	
PI74FCT2861CTQ	10-Bit Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT2861CTR	10-Bit Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2861CTS	10-Bit Transceivers	S	SOIC	DW	Not available	
PI74FCT2861TP	10-Bit Transceivers	P	PDIP	N	Not available	
PI74FCT2861TQ	10-Bit Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT2861TR	10-Bit Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT2861TS	10-Bit Transceivers	S	SOIC	DW	Not available	
PI74FCT3244R	3.3V Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI74FCT3245R	3.3V Octal Bidirectional Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT3573R	3.3V Octal Transparent Latch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT373ATR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT373ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT373CTR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT373CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT373DTR	Octal Transparent Latch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT373TR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT373ATQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.
PI74FCT374ATR	Octal D Registers (3-State)	R	TSSOP	DBQ	CY74FCT374ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT374CTR	Octal D Registers (3-State)	R	TSSOP	DBQ	CY74FCT374CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT374DTR	Octal D Registers (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT374TR	Octal D Registers (3-State)	R	TSSOP	DBQ	CY74FCT374TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT377ATR	Octal D Flip-Flop with Clock Enable	R	TSSOP	DBQ	CY74FCT377ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT377CTR	Octal D Flip-Flop with Clock Enable	R	TSSOP	DBQ	CY74FCT377CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT377DTR	Octal D Flip-Flop with Clock Enable	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT377TR	Octal D Flip-Flop with Clock Enable	R	TSSOP	DBQ	CY74FCT377TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT521ATR	8-Bit Identity (Parity) Comparator	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT521BTR	8-Bit Identity (Parity) Comparator	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT521CTR	8-Bit Identity (Parity) Comparator	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT521TR	8-Bit Identity (Parity) Comparator	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT540ATR	Inverting Octal Buffer Line Driver	R	TSSOP	DBQ	CY74FCT540CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI74FCT540CTR	Inverting Octal Buffer Line Driver	R	TSSOP	DBQ	CY74FCT540CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT540DTR	Inverting Octal Buffer Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT540TR	Inverting Octal Buffer Line Driver	R	TSSOP	DBQ	CY74FCT540CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI74FCT541ATR	Non-Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT541ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT541CTR	Non-Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT541CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT541DTR	Non-Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT541TR	Non-Inverting Octal Buffer/Line Driver	R	TSSOP	DBQ	CY74FCT541ATQCT	Substitute A speed, Package height 1.75 vs 1.20 mm max.
PI74FCT573ATR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT573ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT573CTR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT573CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT573DTR	Octal Transparent Latch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT573TR	Octal Transparent Latch	R	TSSOP	DBQ	CY74FCT573TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT574ATR	Octal D Register (3-State)	R	TSSOP	DBQ	CY74FCT574ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT574CTR	Octal D Register (3-State)	R	TSSOP	DBQ	CY74FCT574CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT574DTR	Octal D Register (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT574TR	Octal D Register (3-State)	R	TSSOP	DBQ	CY74FCT574TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT623ATR	Octal Bus Transceiver (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT623CTR	Octal Bus Transceiver (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT623TR	Octal Bus Transceiver (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT640ATR	Inverting Octal Bidirectional	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT640CTR	Inverting Octal Bidirectional	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT640TR	Inverting Octal Bidirectional	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT646ATR	Octal Registered Transceivers	R	TSSOP	DBQ	CY74FCT646ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT646CTR	Octal Registered Transceivers	R	TSSOP	DBQ	CY74FCT646CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT646DTR	Octal Registered Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT646TR	Octal Registered Transceivers	R	TSSOP	DBQ	CY74FCT646TQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT651ATP	Inverting Octal Registered Tra	P	PDIP	N	Not available	
PI74FCT651ATQ	Inverting Octal Registered Tra	Q	QSOP	DBQ	Not available	
PI74FCT651ATS	Inverting Octal Registered Tra	S	SOIC	DW	Not available	
PI74FCT651CTP	Inverting Octal Registered Tra	P	PDIP	N	Not available	
PI74FCT651CTQ	Inverting Octal Registered Tra	Q	QSOP	DBQ	Not available	
PI74FCT651CTS	Inverting Octal Registered Tra	S	SOIC	DW	Not available	
PI74FCT651TP	Inverting Octal Registered Tra	P	PDIP	N	Not available	
PI74FCT651TQ	Inverting Octal Registered Tra	Q	QSOP	DBQ	Not available	
PI74FCT651TS	Inverting Octal Registered Tra	S	SOIC	DW	Not available	
PI74FCT821ATR	10-Bit Register (3-State)	R	TSSOP	DBQ	CY74FCT821ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT821BTR	10-Bit Register (3-State)	R	TSSOP	DBQ	CY74FCT821CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI74FCT821CTR	10-Bit Register (3-State)	R	TSSOP	DBQ	CY74FCT821CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT823ATR	9-Bit Register with Clear and 3-State	R	TSSOP	DBQ	CY74FCT823ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT823BTR	9-Bit Register with Clear and 3-State	R	TSSOP	DBQ	CY74FCT823CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI74FCT823CTR	9-Bit Register with Clear and 3-State	R	TSSOP	DBQ	CY74FCT823CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT827ATR	10-Bit Buffers	R	TSSOP	DBQ	CY74FCT827ATQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT827BTR	10-Bit Buffers	R	TSSOP	DBQ	CY74FCT827CTQCT	Substitute C speed, Package height 1.75 vs 1.20 mm max.
PI74FCT827CTR	10-Bit Buffers	R	TSSOP	DBQ	CY74FCT827CTQCT	Package height 1.75 vs 1.20 mm max.
PI74FCT828ATP	10-Bit Inverting Buffer	P	PDIP	N	Not available	
PI74FCT828ATQ	10-Bit Inverting Buffer	Q	QSOP	DBQ	Not available	
PI74FCT828ATS	10-Bit Inverting Buffer	S	SOIC	DW	Not available	
PI74FCT828BTP	10-Bit Inverting Buffer	P	PDIP	N	Not available	
PI74FCT828BTQ	10-Bit Inverting Buffer	Q	QSOP	DBQ	Not available	
PI74FCT828BTS	10-Bit Inverting Buffer	S	SOIC	DW	Not available	
PI74FCT828CTP	10-Bit Inverting Buffer	P	PDIP	N	Not available	
PI74FCT828CTQ	10-Bit Inverting Buffer	Q	QSOP	DBQ	Not available	
PI74FCT828CTS	10-Bit Inverting Buffer	S	SOIC	DW	Not available	
PI74FCT863ATP	10-Bit Transceivers	P	PDIP	N	Not available	
PI74FCT863ATQ	10-Bit Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT864ATP	10-Bit Inverting Transceivers	P	PDIP	N	Not available	
PI74FCT864ATQ	10-Bit Inverting Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT864ATR	10-Bit Inverting Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT864ATS	10-Bit Inverting Transceivers	S	SOIC	DW	Not available	
PI74FCT864BTP	10-Bit Inverting Transceivers	P	PDIP	N	Not available	
PI74FCT864BTQ	10-Bit Inverting Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT864BTR	10-Bit Inverting Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT864BTS	10-Bit Inverting Transceivers	S	SOIC	DW	Not available	
PI74FCT864CTP	10-Bit Inverting Transceivers	P	PDIP	N	Not available	
PI74FCT864CTQ	10-Bit Inverting Transceivers	Q	QSOP	DBQ	Not available	
PI74FCT864CTR	10-Bit Inverting Transceivers	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74FCT864CTS	10-Bit Inverting Transceivers	S	SOIC	DW	Not available	
PI74LCX244R	10-Bit Buffer Line Driver	R	TSSOP	DBQ	Not available	This package, Package height 1.75 vs 1.20 mm max.
PI74LPT16240A	3.3V 16-Bit Buffer Line Driver	A	TSSOP	DGG	Not available	
PI74LPT16240AA	3.3V 16-Bit Buffer Line Driver	A	TSSOP	DGG	Not available	
PI74LPT16240AV	3.3V 16-Bit Buffer Line Driver	V	SSOP	DL	Not available	
PI74LPT16240CA	3.3V 16-Bit Buffer Line Driver	A	TSSOP	DGG	Not available	
PI74LPT16240CV	3.3V 16-Bit Buffer Line Driver	V	SSOP	DL	Not available	
PI74LPT16240V	3.3V 16-Bit Buffer Line Driver	V	SSOP	DL	Not available	
PI74LPT241AL	3.3V Octal Buffer/Line Driver, OE Active High	L	TSSOP	PW	Not available	
PI74LPT241AQ	3.3V Octal Buffer/Line Driver, OE Active High	Q	QSOP	DBQ	Not available	
PI74LPT241AR	3.3V Octal Buffer/Line Driver, OE Active High	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT241AS	3.3V Octal Buffer/Line Driver, OE Active High	S	SOIC	DW	Not available	
PI74LPT241CL	3.3V Octal Buffer/Line Driver, OE Active High	L	TSSOP	PW	Not available	
PI74LPT241CQ	3.3V Octal Buffer/Line Driver, OE Active High	Q	QSOP	DBQ	Not available	
PI74LPT241CR	3.3V Octal Buffer/Line Driver, OE Active High	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT241CS	3.3V Octal Buffer/Line Driver, OE Active High	S	SOIC	DW	Not available	
PI74LPT241L	3.3V Octal Buffer/Line Driver, OE Active High	L	TSSOP	PW	Not available	
PI74LPT241Q	3.3V Octal Buffer/Line Driver, OE Active High	Q	QSOP	DBQ	Not available	
PI74LPT241R	3.3V Octal Buffer/Line Driver, OE Active High	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT241S	3.3V Octal Buffer/Line Driver, OE Active High	S	SOIC	DW	Not available	
PI74LPT244AR	3.3V Octal Buffer/Line Driver, OE Active Low	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT244CR	3.3V Octal Buffer/Line Driver, OE Active Low	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT244R	3.3V Octal Buffer/Line Driver, OE Active Low	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT245AR	3.3V Octal Bidirectional Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT245CR	3.3V Octal Bidirectional Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT245R	3.3V Octal Bidirectional Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.



Texas Instruments Product Cross-Reference for Pericom Product Discontinuance Notification 02-1001

Pericom Part Number	Description	Pericom Package	Package Type	TI Package	TI Part Number	TI Comments
PI74LPT373AR	3.3V Octal Transparent Latch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT373CR	3.3V Octal Transparent Latch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT373R	3.3V Octal Transparent Latch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT541AR	3.3V Non-Inverting Octal Buffer/Line Driver (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT541CR	3.3V Non-Inverting Octal Buffer/Line Driver (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT541R	3.3V Non-Inverting Octal Buffer/Line Driver (3-State)	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT543AR	3.3V Non-Inverting Octal Latched Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT543CR	3.3V Non-Inverting Octal Latched Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT543R	3.3V Non-Inverting Octal Latched Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT573AR	3.3V Octal Transparent Latch with 3-State Outputs	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT573CR	3.3V Octal Transparent Latch with 3-State Outputs	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT573R	3.3V Octal Transparent Latch with 3-State Outputs	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT646AR	3.3V Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT646CR	3.3V Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT646R	3.3V Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT652AR	3.3V Inverting Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT652CR	3.3V Inverting Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT652R	3.3V Inverting Octal Registered Transceiver	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT827AR	3.3V 10-Bit Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT827BR	3.3V 10-Bit Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT827CR	3.3V 10-Bit Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI74LPT827R	3.3V 10-Bit Buffer	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI3B3384R	3.3V, 10-Bit Bus Switch	R	TSSOP	DBQ	SN74CBTLV3384DBQR	Package height 1.75 vs 1.20 mm max.
PI5C3245R	8-Bit, 2 Port Bus Switch (FCT245 Pinout)	R	TSSOP	DBQ	SN74CBT3245ADBQR	Package height 1.75 vs 1.20 mm max.
PI5C3257R	Quad 2:1 Multiplexer Demultiplexer	R	TSSOP	DBQ	SN74CBT3257DBQR	Package height 1.75 vs 1.20 mm max.
PI5C3257R+AF	Quad 2:1 Multiplexer Demultiplexer	R	TSSOP	DBQ	Unknown	Package height 1.75 vs 1.20 mm max.
PI5C3383R	5-Bit, 4 Port Swappable Bus Switch	R	TSSOP	DBQ	SN74CBT3383DBQR	Package height 1.75 vs 1.20 mm max.
PI5C3384AR	10-Bit, 2 Port Bus Switch	R	TSSOP	DBQ	SN74CBT3384ADBQR	TI Ron is higher, Package height 1.75 vs 1.20 mm max.
PI5C3384CR	10-Bit, 2 Port Bus Switch	R	TSSOP	DBQ	SN74CBT3384ADBQR	No undershoot protection circuitry, Package height 1.75 vs 1.20 mm max.
PI5C3384CR	10-Bit, 2 Port Bus Switch	R	TSSOP	DBQ	SN74CBTS3384DBQR	Diode undershoot protection circuitry, Package height 1.75 vs 1.20 mm max.
PI5C3384R	10-Bit, 2 Port Bus Switch	R	TSSOP	DBQ	SN74CBT3384ADBQR	Package height 1.75 vs 1.20 mm max.
PI5C3401R	6-Bit, 3 Port Bus Switch	R	TSSOP	DBQ	Not available	Package height 1.75 vs 1.20 mm max.
PI5C3861R	10-Bit, 2 Port Bus Switch	R	TSSOP	DBQ	SN74CBT3861DBQR	Package height 1.75 vs 1.20 mm max.
PI6C104H	Precision Clock Synthesizer	H	SSOP		Not available	
PI6C104S	Precision Clock Synthesizer	S	SOIC	DW	Not available	
PI6C105H	Low Cost Mobile Clock Synthesizer	H	SSOP		Not available	
PI6C110EV	Integrated Buffer and Clock Generator	V	SSOP	DL	Not available	
PI6C110V	Integrated Buffer and Clock Generator	V	SSOP	DL	Not available	
PI6C184-02H	Precision 1:13 Clock Buffer	H	SSOP		Not available	
PI6C184-02S	Precision 1:13 Clock Buffer	S	SOIC	DW	Not available	
PI6C184BH	Precision 1:13 Clock Buffer	H	SSOP		Not available	
PI6C2291-02S	Clock Generator for Workstations	S	SOIC	DW	Not available	
PI6C2509A-1L	3.3V PLL Clock Driver	L	TSSOP	PW	Not available	
PI6C3Q991EJ	3.3V Programmable Skew PLL Clock Driver	J	PLCC		Not available	
PI6C3Q993EQ	3.3V Programmable Skew PLL Clock Driver	Q	QSOP	DBQ	Not available	