



REVISIONS		
REV #	DESCRIPTION	DATE
REV E3	CCN #	300123

FABRICATION NOTES:

- [illegible]




DRILL CHART: TOP 100 BEST SELLERS					
ALL UNITS ARE IN MILLIONS					
PAGE	SIZE	TOLERANCE	PLATED	QTY	
1	7.88	+/-0.02, 0.0	PLATED	2	1
2	8.00	+/-0.02, 0.0	PLATED	2	1
3	8.00	+/-0.02, 0.0	PLATED	63	1
4	6.00	+/-0.02, 0.0	PLATED	63	1
5	6.00	+/-0.02, 0.0	PLATED	63	1
6	6.00	+/-0.02, 0.0	PLATED	63	1
7	5.00	+/-0.02, 0.0	PLATED	63	1
8	6.00	+/-0.02, 0.0	PLATED	63	1
9	5.00	+/-0.02, 0.0	PLATED	63	1
10	5.00	+/-0.02, 0.0	NON PLATED	63	1
11	5.00	+/-0.02, 0.0	NON PLATED	2	1
12	5.00	+/-0.02, 0.0	NON PLATED	2	1
13	6.00	+/-0.02, 0.0	NON PLATED	2	1
14	6.00	+/-0.02, 0.0	NON PLATED	2	1
15	6.00	+/-0.02, 0.0	NON PLATED	2	1
16	6.00	+/-0.02, 0.0	NON PLATED	2	1
17	6.00	+/-0.02, 0.0	NON PLATED	2	1
18	6.00	+/-0.02, 0.0	NON PLATED	2	1
19	6.00	+/-0.02, 0.0	NON PLATED	2	1
20	6.00	+/-0.02, 0.0	NON PLATED	2	1
21	6.00	+/-0.02, 0.0	NON PLATED	2	1
22	6.00	+/-0.02, 0.0	NON PLATED	2	1
23	6.00	+/-0.02, 0.0	NON PLATED	2	1
24	6.00	+/-0.02, 0.0	NON PLATED	2	1
25	6.00	+/-0.02, 0.0	NON PLATED	2	1
26	6.00	+/-0.02, 0.0	NON PLATED	2	1
27	6.00	+/-0.02, 0.0	NON PLATED	2	1
28	6.00	+/-0.02, 0.0	NON PLATED	2	1
29	6.00	+/-0.02, 0.0	NON PLATED	2	1
30	6.00	+/-0.02, 0.0	NON PLATED	2	1
31	6.00	+/-0.02, 0.0	NON PLATED	2	1
32	6.00	+/-0.02, 0.0	NON PLATED	2	1
33	6.00	+/-0.02, 0.0	NON PLATED	2	1
34	6.00	+/-0.02, 0.0	NON PLATED	2	1
35	6.00	+/-0.02, 0.0	NON PLATED	2	1
36	6.00	+/-0.02, 0.0	NON PLATED	2	1
37	6.00	+/-0.02, 0.0	NON PLATED	2	1
38	6.00	+/-0.02, 0.0	NON PLATED	2	1
39	6.00	+/-0.02, 0.0	NON PLATED	2	1
40	6.00	+/-0.02, 0.0	NON PLATED	2	1
41	6.00	+/-0.02, 0.0	NON PLATED	2	1
42	6.00	+/-0.02, 0.0	NON PLATED	2	1
43	6.00	+/-0.02, 0.0	NON PLATED	2	1
44	6.00	+/-0.02, 0.0	NON PLATED	2	1
45	6.00	+/-0.02, 0.0	NON PLATED	2	1
46	6.00	+/-0.02, 0.0	NON PLATED	2	1
47	6.00	+/-0.02, 0.0	NON PLATED	2	1
48	6.00	+/-0.02, 0.0	NON PLATED	2	1
49	6.00	+/-0.02, 0.0	NON PLATED	2	1
50	6.00	+/-0.02, 0.0	NON PLATED	2	1
51	6.00	+/-0.02, 0.0	NON PLATED	2	1
52	6.00	+/-0.02, 0.0	NON PLATED	2	1
53	6.00	+/-0.02, 0.0	NON PLATED	2	1
54	6.00	+/-0.02, 0.0	NON PLATED	2	1
55	6.00	+/-0.02, 0.0	NON PLATED	2	1
56	6.00	+/-0.02, 0.0	NON PLATED	2	1
57	6.00	+/-0.02, 0.0	NON PLATED	2	1
58	6.00	+/-0.02, 0.0	NON PLATED	2	1
59	6.00	+/-0.02, 0.0	NON PLATED	2	1
60	6.00	+/-0.02, 0.0	NON PLATED	2	1
61	6.00	+/-0.02, 0.0	NON PLATED	2	1
62	6.00	+/-0.02, 0.0	NON PLATED	2	1
63	6.00	+/-0.02, 0.0	NON PLATED	2	1

LAYER STACKUP

LAVER NAME	FINISHED Cu	X-SECTION	DIELECTRIC THICKNESS [μm]21
PRIMARY SIDE SOLDERMASK			
L01	1.47oz	PRIMARY SIDE	0.0030
L02	GROUND-PLANE-1		0.0030
L03	INNER-SIGNAL-1		0.0030
L04	GROUND-PLANE-2		0.0030
L05	INNER-SIGNAL-2		0.0030
L06	POWER-PLANE-1		0.0044
L07	POWER-PLANE-2		0.0044
L08	POWER-PLANE-2		0.0030
L09	GROUND-PLANE-3		0.0045
L10	INNER-SIGNAL-3		0.0030
L11	GROUND-PLANE-4		0.0030
L12	SECONDARY SIDE		0.0030
SECONDARY SIDE SOLDERMASK			
SECONDARY SIDE Cu FINISHED			

IMPEDANCE SPECIFICATIONS

[illegible]

SIGNATURES		DATE	 TEXAS INSTRUMENTS	PROC135A
LAYOUT BY	ZA	030823		
REVIEWED BY	ZA	030823		
APPROVED BY	AM6	030823		
			AM62A EVM BOARD	
			SIZE	
			D	
			SCALE: NONE	
			SHEET 1 OF 19	